CODE DIGIT 5 FEATURE			CODE
4 WIRE			
2 WIRE			
CODE SELECTION	SINGLE OR GROUP		
		X	1
		X	4
PRIVATE LINE - AUTOMATIC RING			
		X	2
		X	3

CODE DIGIT 6 FEATURE		CODE
PULSE LENGTH	UNLIMITED	1
	FIXED	2

CODE DIGIT 7 FEATURE	CODE
NO CHOICE	0

CODE DIGIT 8				
REFERENCE	5	6	7	CODE
SD-7C066-01	4	1	0	D%
SD-7C067-01	1	1	0	A%
SD-7C074-01	2	2	0	B%
SD-7C075-01	3	2	0	C%

NOTES:

DESCRIPTION: SF SIGNALING - TYPE G - RINGDOWN UNIT

COPYRIGHT AMERICAN TELEPHONE AND TELEGRAPH COMPANY, 1982 PRINTED IN U.S.A.

CODE DIGIT 5 FEATURE	CODE	CODE DIGIT 6 FEATURE						CODE
DIGITAL (FARINON)	D	2-WIRE						
		4-WIRE						
		BAT SUPPLY	24V					
			48V					
		DROP IMPEDANCE OHMS	600	X			X	D
					X		X	F
				X		X		A
					X	X		B
			900	X			X	C
					X		X	E

CODE DIGIT 7 FEATURE	CODE
NO CHOICE	0

CODE DIGIT 8

REFERENCE	5	6	7	CODE
DGTL	D	A TO F	0	3%

NOTES:

DESCRIPTION: SD SIGNALING - RINGDOWN UNIT

CODE DIGIT 5 FEATURE		CODE
RIXON (LORAIN)		R
TELLABS		B
TRANSCOM		T
WESCOM	HIGH DENSITY	Z
	STANDARD	W

CODE DIGIT 6 FEATURE						CODE
DROP IMPEDANCE	600 OHMS					
	900 OHMS					
	600/900 OHMS					
	150/600/1200 OHMS					
2 WIRE					X	1
				X		2
			X			6
4 WIRE EXTENSION CKT			X			3
		X				5
4 WIRE					X	4

CODE DIGIT 7 FEATURE	CODE
NO CHOICE	0

CODE DIGIT 8

REFERENCE	5	6	7	CODE
RIXN	R	4,6	0	2%
TSLS	B	5	0	4%
TSCM	T	1	0	1%
WSCM	Z	1,2,3	0	6%
WSCM SIG	W	4	0	6

NOTES:

DESCRIPTION: SF SIGNALING - RINGDOWN UNIT

CODE DIGIT 5 FEATURE	CODE	CODE DIGIT 6 FEATURE	CODE	CODE DIGIT 7 FEATURE	CODE
>NORTHERN TELECOM	N	4 WIRE | PLAR AND AC OR DC RINGDOWN	1	NO CHOICE	0

CODE DIGIT 8				
REFERENCE	5	6	7	CODE
NNTM	N	1	0	5%

NOTES:

DESCRIPTION: SF SIGNALING - RINGDOWN UNIT